

vulcano.premium 1182

Model Code F5623

date of issue 12-11-20 revision 00
revision of 13-11-20 (the present replaces any previous versions)



Designer: centro studi interno

Structure: pinewood, multilayer and plywood covered with polyurethane foam.

Spring system: elastic webbing

Seat Padding: seat cushions in ecological polyurethane foam covered with 100% polyester padding.

Back Padding: back cushions in fiber (synthetic fiberfill).

Arm Interior: in ecological polyurethane foam covered with 100% polyester padding.

Removability: not available.

Sewing: leather coverings feasible with contrast stitching in the colors available; cuts and sewing vary on microfiber (or fabric) coverings.

Mechanisms: the model is equipped with headrests that can be manually lifted on versions: "recliner". Recliner versions with "electric adjustable headrest" marked with (+), are equipped with electrically adjustable headrests, that can be operated by a touch pad positioned on the sides. All recliner versions include an electrically powered metal mechanism operated by a touch pad positioned on outer sides. The depth of the model with open recliner is 153 cm.

Components: backlit button panel (PULS_VIS) equipped with USB connector which allows several devices to be plugged in.

Standard feet: coal black colored beech-wood PL2180 front feet, h. 3 cm. PVC rear feet, h. 3 cm. Wooden feet also available with dark walnut, rosewood, black, natural, light walnut, cherry or silver colored finish. Some versions may be equipped with hidden feet with a supporting structural function.

Density of seat and back

Markets	Seat	Back
I	30 Medium	
D - NL - CH		
USA - California		
GB	37 fire retardant	
Others	30 Medium	

Note: when no values/contents are specified in the chart, please refer to 'Others' field/area.

Coverings

	suggested	not suggested	not possible
thick leathers	✓		
thin elastic leathers	✓		
natural leathers	✓		
fabric*	✓		
microfibre*	✓		
leather + split	✓		
DeLuxe			✓
multi colour			✓
multi-category			✓
multi covering			✓


Please note: for not removable models, only one colour fabric covers are available.

* fabrics and microfibers are not available for the U.K. market

Multicovering / Components / Optional vers.



PULS_VIS



VULC_PT

Feet



PL2180



PVC H3

Ottoman



With the reservation of carrying for production purposes and without advanced notices modifications on the materials, coverings and dimensions of the product as indicated in the relevant specification. The given dimensions and volume are of indicative value being subject to the production process tolerances.








↑ fold following the dotted line ↑

vulcano.premium 1182



L Length - H Height - D Depth - SH Seat Height - SD Seat Depth
Dimensions refer to maximum sizes of the version with closed mechanism (where available).



dimensions

L 103
H101 D96 SH45 SD54

L 160
H101 D96 SH45 SD54

L 186
H101 D96 SH45 SD54

L 208
H101 D96 SH45 SD54

L 105
H101 D96 SH45 SD54

version code

100

200

240

300

AN6

Description


chair

2 seater

2 1/2 seater

3 seater


chair with
el.rec.*a.h.*



L 161
H101 D96 SH45 SD54

M27


2str 1rgt
fac.el.rec.*a.h.*



L 161
H101 D96 SH45 SD54

M28


2str 1lft
fac.el.rec.*a.h.*



L 162
H101 D96 SH45 SD54

E63


2str rg/lft
r.el.*a.h.*



L 187
H101 D96 SH45 SD54

H04


2p1/2 str 1raf
r.el.*a.h.*



L 187
H101 D96 SH45 SD54

H05


2p1/2 str 1laf
r.el.*a.h.*



L 188
H101 D96 SH45 SD54

H03


2str1/2 2r.r-l
el.*a.h.*



L 209
H101 D96 SH45 SD54

M33


3st.2cus.1rhf
el.r.*a.h.*



L 209
H101 D96 SH45 SD54

M34


3st.2cus.1lhf
el.r.*a.h.*



L 210
H101 D96 SH45 SD54

M35


3s 2cus.2 rhf/lhf
e.r.*a.h.*



L 105
H101 D96 SH45 SD54

AN7


chair with
el.rec.*a.h.*el.



L 161
H101 D96 SH45 SD54

AN8


2str 1rgt
fac.e.rec*a.h.*el.



L 161
H101 D96 SH45 SD54

AN9


2str 1lft
fac.e.rec*a.h.*el.



L 162
H101 D96 SH45 SD54

AO1


2str rg/lft
r.el.*a.h.*el.



L 187
H101 D96 SH45 SD54

AO2


2p1/2 str 1raf
r.e.*a.h.*el.



L 187
H101 D96 SH45 SD54

AO3


2p1/2 str 1laf
r.e.*a.h.*el.



L 188
H101 D96 SH45 SD54

AO4


2str1/2 2r.r-l
el.*a.h.*el.



L 209
H101 D96 SH45 SD54

AO5

3st.2cus.1rhf
el.r.*a.h.*el.



L 209
H101 D96 SH45 SD54

AO6

3st.2cus.1lhf
el.r.*a.h.*el.

↓ fold following the dotted line ↓





↑ fold following the dotted line ↑

vulcano.premium 1182



L Length - **H** Height - **D** Depth - **SH** Seat Height - **SD** Seat Depth
Dimensions refer to maximum sizes of the version with closed mechanism (where available).



dimensions

L 210
H101 D96 SH45 SD54

version code

A07

Description

3s 2c.2 rhf/lhf
e.r.*a.h.*el.

↓ fold following the dotted line ↓

